

Buoys + Fenders + Accessories



Polyform
US®

AKBAR TRADERS LLC.

Authorized Distributor

F SERIES FENDERS



Unique one-piece construction with even wall thickness for maximum strength and durability.

The largest size range available
Best selling heavy-duty fender

- For boats 6 to 21 meters and up in length
- Twin-eye design hangs vertically or horizontally
- Multiple ribbed reinforced ropeholds for the most demanding applications
- Designed for use in permanent unprotected moorings, pilings, locks and concrete walls
- Unique vinyl valve seals securely

DUAL VALVE SYSTEM

On the F-13:
"AIR IN" for easy inflation.
"AIR OUT" for easy deflation and storage.



F SERIES SPECIFICATIONS

	F-1	F-02	F-2	F-3	F-4	F-5	F-6	F-7	F-8	F-10	F-11	F-13
DIAMETER	15,2 cm	19,1 cm	20,8 cm	20,8 cm	21,6 cm	27,9 cm	27,9 cm	38,1 cm	38,1 cm	45,7 cm	53,8 cm	73,7 cm
LENGTH	61,0 cm	66,0 cm	63,0 cm	76,2 cm	102,9 cm	76,2 cm	106,7 cm	104,1 cm	147,3 cm	127,0 cm	146,1 cm	194,3 cm
EYE DIAMETER	1,8 cm	1,8 cm	2,3 cm	2,3 cm	2,3 cm	2,3 cm	2,5 cm	2,5 cm	2,5 cm	2,5 cm	2,8 cm	3,0 cm
MAX INFLATION CIRCUMFERENCE	47,9 cm	59,9 cm	65,5 cm	65,5 cm	67,9 cm	87,8 cm	87,8 cm	119,7 cm	119,7 cm	143,7 cm	169,2 cm	231,5 cm
MAX INFLATION DIAMETER	15,2 cm	19,1 cm	20,8 cm	20,8 cm	21,6 cm	27,9 cm	27,9 cm	38,1 cm	38,1 cm	45,7 cm	53,8 cm	73,7 cm
VOLUME	7,2 liters	11,7 liters	16,3 liters	20,4 liters	29,1 liters	27,6 liters	57,2 liters	71,2 liters	149,9 liters	154,4 liters	241,1 liters	600,4 liters
UNIT WEIGHT	1,2 kg	1,5 kg	1,8 kg	2,4 kg	3,4 kg	2,7 kg	4,6 kg	4,8 kg	8,6 kg	8,9 kg	11,5 kg	28,4 kg
UNITS PER CARTON	10	10	10	10	5	5	5	5	4	2	3	2
CARTON WEIGHT	12,8 kg	16,1 kg	19,7 kg	25,8 kg	19,0 kg	15,2 kg	25,9 kg	27,8 kg	38,2 kg	19,4 kg	38,2 kg	63,2 kg
CUBIC METERS PER CARTON	0,05 m ³	0,09 m ³	0,09 m ³	0,11 m ³	0,09 m ³	0,09 m ³	0,14 m ³	0,18 m ³	0,18 m ³	0,09 m ³	0,18 m ³	0,26 m ³
BOAT SIZE	6-9 m	6-9 m	6-9 m	6-9 m	9-12 m	9-12 m	9-12 m	12-15 m	18-21 m	18-21 m	21m& up	21m& up

*Maximum inflation pressure is 2 psi, over-inflation voids warranty.

Boating Essentials

Polyform F Series


F SERIES FENDERS

F SERIES ORDERING INFORMATION

STANDARD COLOR SKUS NON-STANDARD COLORS** **Minimum quantities and additional charges may apply to any "non-standard" color. Please contact Polyform US for details and visit website for current colors.

	Blue	White	Black	Graphite	Grey	Cobalt Blue	Navy	Catalina Blue	Forest Green	Lime	Green
F-1	65-186-081	82-432-076	38-429-986	59-899-042	32-968-418	25-029-497	63-548-275	65-977-616	43-655-365	13-484-640	26-939-589
F-02	91-210-601	91-318-700	45-488-161	64-379-813	50-220-083	09-032-321	72-138-262	80-808-003	74-512-981	23-116-778	92-850-616
F-2	29-840-825	94-211-739	40-488-138	86-104-416	35-425-823	18-437-546	80-599-873	03-128-083	08-292-183	78-279-504	94-266-513
F-3	67-934-725	83-518-187	64-442-100	34-665-461	36-363-061	98-799-490	23-755-842	72-352-104	65-555-597	95-716-032	32-852-871
F-4	42-002-884	82-633-511	72-249-881	88-141-027	81-341-222	56-994-604	02-130-673	02-372-113	01-019-743	78-020-439	50-502-819
F-5	49-958-248	51-654-951	80-923-911	94-665-692	79-313-752	31-619-526	72-947-783	55-392-807	27-549-608	08-301-260	24-552-713
F-6	48-331-218	20-997-926	91-471-931	60-402-048	03-967-365	97-270-956	27-029-368	50-240-296	05-528-087	58-961-517	60-639-557
F-7	68-917-413	61-633-059	24-367-435	89-847-267	31-775-800	87-375-277	23-611-558	65-673-435	91-491-561	62-593-409	54-556-760
F-8	33-103-940	24-582-243	28-292-760	86-877-657	58-486-316	63-390-760	34-348-569	05-456-670	71-982-352	47-747-051	42-632-090
F-10	60-234-782	45-268-619	03-215-361	38-651-282	07-450-643	63-514-542	20-032-109	35-880-497	54-555-091	24-867-773	24-126-116
F-11	27-077-003	37-453-829	12-856-867	35-764-837	72-341-009	01-770-224	67-344-423	04-544-865	94-851-806	28-475-464	55-190-009
F-13	09-347-774	55-785-521	54-719-310	19-972-464	78-673-179	82-334-204	51-739-382	17-696-992	66-659-542	65-914-411	83-999-363

	Teal	Purple	Int. Orange	Orange	Classic Red	Red	Burgundy	Berry	Saturn Yellow	Yellow	Sand
F-1	31-698-427	28-951-415	38-088-079	96-988-810	90-780-126	07-123-381	16-176-580	34-620-321	61-502-826	78-261-323	90-327-467
F-02	25-902-237	88-162-614	32-869-709	57-572-347	24-067-648	04-536-564	12-149-590	28-563-288	07-885-544	23-379-027	61-040-845
F-2	85-046-334	45-263-345	99-084-140	55-297-117	65-133-374	59-357-416	64-461-843	64-129-593	49-008-826	41-882-424	38-343-077
F-3	73-921-950	01-098-848	96-736-077	30-878-938	21-036-307	66-405-439	78-972-026	51-204-793	05-803-668	50-311-233	09-346-085
F-4	26-252-983	72-759-854	05-054-480	95-467-022	59-905-087	16-044-275	65-893-809	80-516-107	27-504-544	46-521-369	11-089-554
F-5	67-349-146	48-705-653	55-768-193	79-368-456	29-660-792	35-797-441	26-409-191	99-848-701	30-859-195	35-856-532	25-552-154
F-6	64-716-068	53-258-849	95-987-382	26-614-624	93-880-792	95-481-514	63-899-221	18-522-753	41-286-688	01-544-571	21-276-086
F-7	52-774-316	45-468-841	48-518-873	80-127-638	18-924-138	90-455-540	83-624-906	04-840-466	64-221-904	45-535-352	40-589-659
F-8	89-038-570	59-870-093	41-539-626	80-796-269	90-884-908	18-123-679	13-449-999	17-924-706	66-380-166	11-534-088	07-246-400
F-10	78-726-511	49-255-154	68-356-883	28-560-163	25-697-943	83-256-322	08-238-521	39-095-289	04-150-140	48-085-696	25-856-329
F-11	87-666-165	90-076-981	40-412-416	52-596-668	84-801-596	94-340-782	96-766-209	84-890-054	59-375-270	39-187-270	38-249-878
F-13	33-180-367	96-653-169	65-404-672	70-372-766	56-675-332	77-333-893	84-919-463	60-226-179	71-532-766	77-074-589	85-059-742



	WT+ BK Ropehold
F-4	19-640-894
F-5	22-817-236
F-6	20-095-830
F-7	79-172-221

Black ropeholds are available in A-4 through A-7.

Trusted Worldwide

Made in the USA

FENDER/BUOY SIZING CHART

BOAT SIZE	FENDER SELECTION	BUOY SELECTION
Up to 3m	G-1	A-0
3–4,5m	G-2, NF-3	A-0
4,5–6m	G-3, NF-3	A-1, S-1
6–7,5m	F-1, F-02, F-2, F-3, G-4, HTM-1, NF-4	A-1, LD-1
7,5–9m	F-02, F-2, F-3, G-5, HTM-2, NF-5	A-1, LD-1
9–10m	F-4, F-5, G-5, HTM-3, NF-5	A-2, LD-2
10–12m	F-5, F-6, G-6, HTM-3	A-2, LD-2
12–14m	F-6, HTM-4	A-3, LD-3
15–18m	F-7, F-8	A-4, LD-4
18–21m	F-8, F-10, F-11	A-5
21m & up	F-11, F-13	A-5, A-6, A-7

Polyform U.S. Buoy/Fender Guide is to be used as a general guide. Common sense, as well as an understanding of your boat and mooring conditions, must be considered. The final responsibility has to be taken by the consumer due to the many variables out of Polyform's control.

A SERIES BUOYS



The product that launched the Polyform story.

The original one-piece construction buoy—made the original way

THE #1 BUOY IN THE WORLD

- Even wall thickness for maximum strength and durability
- Reinforced ropehold for improved strength and durability
- Polyform's unique vinyl valve system
- Dual valve inflation/deflation system for sizes A-5, A-6 and A-7
- Excellent choice for a rafting fender
- Offered in 22 brilliant, high-visibility colors

A SERIES SPECIFICATIONS

	A-0	A-1	A-2	A-3	A-4	A-5	A-6	A-7
DIAMETER	20,3 cm	27,9 cm	36,8 cm	43,3 cm	52,1 cm	68,4 cm	86,4 cm	99,1 cm
LENGTH	29,2 cm	38,1 cm	49,5 cm	58,4 cm	68,6 cm	91,4 cm	111,8 cm	137,2 cm
EYE DIAMETER	1,5 cm	2,5 cm	2,9 cm	2,9 cm	2,9 cm	3,2 cm	3,8 cm	5,1 cm
*MAX INFLATION CIRCUMFERENCE	63,9 cm	87,8 cm	115,8 cm	135,7 cm	163,6 cm	215,5 cm	271,4 cm	311,3 cm
*MAX INFLATION DIAMETER	20,3 cm	27,9 cm	36,8 cm	43,2 cm	52,1 cm	68,6 cm	86,4 cm	99,1 cm
VOLUME	6,1 liters	13,2 liters	31,0 liters	54,9 liters	85,2 liters	180,2 liters	360,0 liters	613,2 liters
UNIT WEIGHT	0,6 kg	1,2 kg	2,0 kg	3,1 kg	4,3 kg	9,0 kg	15,5 kg	24,5 kg
UNITS PER CARTON	20	10	10	10	10	5	3	2
CARTON WEIGHT	13,6 kg	12,7 kg	21,1 kg	32,4 kg	45,7 kg	48,7 kg	52,7 kg	54,9 kg
CUBIC METERS PER CARTON	0,06 m ³	0,05 m ³	0,07 m ³	0,11 m ³	0,16 m ³	0,18 m ³	0,26 m ³	0,31 m ³

*Maximum inflation pressure is 2 psi, over-inflation voids warranty.



DUAL VALVE SYSTEM

On the A-5 through A-7:
 "AIR IN" for easy inflation.
 "AIR OUT" for easy deflation and storage.



A SERIES BUOYS



A SERIES ORDERING INFORMATION


STANDARD COLOR SKUS

NON-STANDARD COLORS**

**Minimum quantities and additional charges may apply to any "non-standard" color. Please contact Polyform US for details and visit website for current colors.

	Blue	White	Black	Grey	Cobalt Blue	Navy	Catalina Blue	Forest Green	Lime	Green	Teal
A-0	19-400-520	45-125-827	31-167-257	78-937-682	02-232-836	80-494-323	40-001-797	87-148-877	59-052-112	77-957-683	98-932-071
A-1	77-882-582	13-814-852	93-446-169	56-803-787	08-643-195	08-542-492	20-713-160	85-667-914	76-037-610	64-926-549	16-920-580
A-2	17-045-815	93-589-640	13-445-634	79-230-991	81-749-547	71-371-375	04-794-465	36-068-645	62-281-826	71-832-216	14-312-492
A-3	40-867-783	32-152-798	17-275-659	15-409-243	26-736-884	42-470-036	83-465-253	48-602-024	78-023-381	21-463-314	91-850-859
A-4	63-872-392	27-685-394	99-502-358	90-245-014	30-424-086	61-607-681	56-699-949	90-311-738	85-348-149	17-841-038	42-290-747
A-5	37-701-482	40-498-717	87-645-263	14-789-946	85-122-860	53-490-508	65-590-353	54-863-062	61-970-758	21-584-067	08-285-474
A-6	92-819-301	05-317-866	44-713-972	42-857-300	27-766-459	03-088-510	07-591-982	21-131-428	59-999-112	63-787-228	10-704-834
A-7	64-504-168	74-342-477	96-217-198	99-761-414	11-227-176	68-912-856	45-242-088	71-765-016	36-673-694	99-503-932	87-153-444

	Purple	Int. Orange	Orange	Classic Red	Red	Burgundy	Berry	Saturn Yellow	Yellow	Sand
A-0	95-860-734	10-453-242	62-522-460	72-659-423	84-083-844	51-529-640	10-470-645	37-383-894	01-016-782	18-376-553
A-1	22-654-676	24-719-331	64-218-664	59-346-930	11-706-223	03-581-865	77-641-599	49-668-025	50-766-620	52-937-572
A-2	33-065-866	06-813-576	16-691-632	02-475-466	36-649-954	07-520-674	52-132-344	41-517-936	23-133-894	16-086-897
A-3	87-571-147	29-665-571	92-605-310	11-166-711	77-400-354	85-154-511	82-503-812	85-695-557	89-582-642	46-387-846
A-4	03-978-709	14-931-162	96-595-055	96-306-357	25-901-934	49-285-658	96-754-955	02-282-389	70-156-028	14-973-530
A-5	27-113-707	18-292-826	15-906-883	44-848-484	78-597-643	26-424-279	41-481-869	81-116-891	55-066-589	30-791-258
A-6	07-150-295	58-472-992	53-610-256	49-009-029	10-487-121	41-849-547	44-646-844	03-856-061	86-375-504	53-470-470
A-7	67-351-635	41-284-755	89-039-135	06-552-808	08-342-658	27-870-660	34-104-807	55-712-822	19-904-897	15-009-914



	WT+BK Ropehold
A-4	60-320-731
A-5	68-740-365
A-6	97-417-551
A-7	08-742-100

In addition to our standard Blue tops, we also offer our ropeholds in Black. This is special order and available in the following sizes: A-4 and above. No minimum order required.



Polyform
US®

Akbar Traders LLC.

Authorized Distributor

Akbar Traders LLC.
118-36 Al Burj Street
Baniyas Sq, Dubai, UAE

(971) 4 2284378 (971) 4 2211072
sales@akbartraders.com